

INDEX

- Acacia, 451
 Acalypha, 323, 370-375
 — sect. *Acalypha*, 372
 — sect. *Caturoideae*, 372
 — sect. *Linostachys*, 372, 374
 — § *Boehmerioideae*, 372
 — § *Brachystachyae*, 371
 — § *Dentatae*, 372
 — § *Monostachyae*, 372
 — § *Palminervia*, 372
 — § *Phleoideae*, 371
 — § *Plumosae*, 371
 — § *Repandae*, 372
 — § *Sclerolobae*, 371
 — ser. *Boehmerioideae*, 372, 374
 — ser. *Brachystachyae*, 371-374
 — ser. *Caturoideae*, 372, 374
 — ser. *Dentatae*, 372
 — ser. *Monostachyae*, 372
 — ser. *Palminerviae*, 372, 374
 — ser. *Phleoideae*, 371, 372
 — ser. *Plumosae*, 371, 372
 — ser. *Repandae*, 372, 374
 — ser. *Sclerolobae*, 371, 372
 — *gracilens* subsp. *monococca*, 373
 — — *monococca*, 373
 — *virginica*, 371
 Acalyphaceae, 304
 Account of the Red River Expedition of 1806, an Overlooked Publication of Botanical Interest, Freeman and Curtis', 431
 Acer *negundo*, 447
 — *pensylvanicum*, 443, 447
 — *rubrum drummondii*, 443, 447
 — *saccharinum*, 447
 Acerates, 454
 Achillea *santolina*, 454
 Achras, 207
 Aconitopsis *hohenackeri*, 169
 Aconitum *monogynum*, 170
 Acrotrema, 7, 233
 — *bullatum*, 238
 — *uniflorum*, 17
 Adenorima, 407
 Adenoropium, 340
 Aërial Axis and Rhizome, Vascular Development in Apex of Vegetative Anatomy of the Palm *Rhapis excelsa*, IV, 122
 Aesculus *parviflora*, 444
 — *pavia*, 444
 Aextoxicaceae, 312
 African Species of *Delphinium* and *Consolida*, A Synopsis of, 30
 Agaloma, 397
 Agathis *alba*, 209
 Agave *virginica*, 457
 Aleurites, 322, 342-345
 — sect. *Aleurites*, 343
 — sect. *Dryandra*, 342, 343
 — *moluccana*, 342
 — *triloba*, 342
 Allium *canadense*, 453
 — *odorum*, 452
 — *sativum*, 452
 — *vineale*, 453
 Althaea *rosea*, 451
 American Palms, Two New, 143
 Amorpha *fruticosa*, 449
 Ampelopsis *arborea*, 449
 Amyris, 210
 Anacardium *excelsum*, 207
 Anatomy of the Palm *Rhapis excelsa*, IV. Vascular Development in Apex of Vegetative Aërial Axis and Rhizome, 122
 Andira, 206
 — *inermis*, 206
 Andrachne, 322, 327-329
 — sect. *Andrachne*, 328
 — sect. *Arachne*, 328, 329
 — sect. *Phyllanthopsis*, 329
 — *arida*, 328
 — *telephioides*, 327
 Androcephalum, 461
 — *quercifolium*, 461, 464
 Aneilema *vaginatum*, 455
 Angeospermia, 458
 Annona *glabra*, 448
 — *reticulata*, 206
 — *triloba*, 448
 Antidesmaceae, 304
 Apex of Vegetative Aërial Axis and Rhizome, Vascular Development in. Anatomy of the Palm *Rhapis excelsa*, IV, 122
 Apium *leptophyllum*, 455
 Apple, Balsam, 454
 Apple, Pond, 448
 Aquilicia *sambucina*, 449
 Arbutus *uva ursi*, 454
 Arctium, 450
 — *lappa*, 452
 — *minus*, 452

- Arctostaphylos uva-ursi, 454
 Argythamnia, 323, 364-366
 — sect. Ditaxis, 366
 — sect. Serophyton, 366
 — subg. Ditaxis, 365
 — candicans, 364
 Arisaema pentaphylla, 455
 — quinatum, 455
 — triphylla, 450
 Aristeyera, 143
 — ramosa, 144
 — spicata, 143, 144
 Aristolochia pistolochia, 455
 — serpentaria, 451
 Arum pentaphyllum, 455
 — triphyllum, 450
 Arundinaria gigantea, 445
 Arundo donax, 445
 Asclepias, 454
 — filiformis, 454
 — incarnata, 454
 — lactifera, 454
 — verticillata, 454
 Asclepiodora, 454
 Ascyrum hypericoides, 454
 Ash, 445, 447
 Ash, European, 447
 Ash, Prickly, 444
 Ash, Water, 447
 Asian Species of *Consolida* (Ranunculaceae), A Synopsis of the, 159
 Asian Species of *Delphinium*, *Sensu Stricto*, A Synopsis of the, 249-302, 476-545
 Asimina triloba, 448
 Astragalus canadensis, 454
 — carolinianus, 454
 Astronium graveolens, 110
 Athyrium, 455
 Atropa physalodes, 450
 Austrobaileya, The Chromosomes of, 241
 Austrobaileya, 241-244
 — maculata, 241
 — scandens, 241, 242
 Austrobaileyaceae, 241

 Bald Cypress, 447
 Balsam Apple, 454
 Bartoniana, 458, 459
 — bracteata, 458, 459
 Bean, Castor, 379
 Bean, Magotty Bay, 453
 Bearberry, 454
 Beech, 448
 Beech, American, 448
 Beech, European, 448

 Benzoin, 444
 Bernoullia flammea, 117
 Bignonia capreolata, 457
 — catalpa, 448
 — radicans, 453
 — sempervirens, 457
 — triloba, 448, 459
 — unguis, 457
 Biology and Systematic of Eucnide (Loasaceae), Floral, 56
 Bird Cherry, European, 442
 Bischofiaceae, 312
 Bivonia, 349
 Bixales, 309
 Bois d'arc, 449
 Boraginaceae, 451
 Borassus flabelliformis, 458
 Botanical Interest, Freeman and Custis' Account of the Red River Expedition of 1806, an Overlooked Publication of, 431
 Box Elder, 447
 Breynia, 322
 Briar, English Sweet, 451
 Briar, Sensitive, 451
 BRIZICKY, GEORGE K. Nomenclatural Notes on *Gossypium* (Malvaceae), 152
 Broom-rape, 459
 Brosimum, 207
 — alicastrum, 110
 — costaricanum, 206
 Buckeye, 444
 Bud, Red, 448
 Bull-Nettle, 349
 Bumelia lanuginosa, 443, 448
 — smallii, 443, 448
 Bur Cucumber, 454
 Burdock, 452
 Burdock, Common, 452
 Burdock, Great, 452
 Bursera, 207
 — simaruba, 206
 Buttercup, European, 450
 Button Wood, 446
 Buxaceae, 309-313
 Byrsonima crassifolia, 117

 Cactus opuntia, 453
 Callitrichaceae, 309
 Calophyllum brasiliense, 206, 207
 Calyptrogyne, 148
 Calyptronoma, 148
 Campsis radicans, 453
 Candle berry bush, 443, 449
 Candle Nut, 342
 Cane, 445
 Cane, Giant, 445

- Caperonia*, 323, 363, 364
 — sect. *Caperonia*, 364
 — *castaneifolia*, 363
Carapa, 207
Cardus virginianum, 455
Carolina Silverbell, 448
Carya alba, 442
 — *illinoensis*, 442, 447, 459
 — *tomentosa*, 442, 447
Cassava, 346
Cassava, Stinging, 455
Cassia chamaechrista, 453, 457
 — *marylandica*, 455, 458
 — *occidentalis*, 457
 — *tora*, 458
Castanea pumila, 444, 448
Castor bean, 379
Catalpa bignonioides, 448, 459
Catalpa, Common, 448
Cedar, Red, 446, 448
Cedar, Southern White, 447
Cedrela mexicana, 206
Ceiba, 207
Celastrales, 309
Celtis occidentalis, 447
Cephalanthus occidentalis, 446, 448
Ceratosanthus ajacis, 176
 — *paniculatus*, 179
Cercis canadensis, 448
 — *siliquastrum*, 448
Chamaecyparis thyoides, 447
Chamaesyce, 324, 420–427
 — sect. *Chamaesyce*, 421–423
 — sect. *Sclerophyllae*, 421, 423, 426
 — subsect. *Chamaesyceae*, 422, 423
 — subsect. *Elegantes*, 424
 — subsect. *Gymnadeniae*, 424
 — subsect. *Hypericifoliae*, 422, 423
 — ser. *Adenopterae*, 422, 423
 — ser. *Peplides*, 422, 423
 — ser. *Prostratae*, 422, 423
 — *cristata*, 424
 — *maritima*, 420
 — *perlignea*, 421
 — *rosea*, 423
Chascotheca triplinervia, 330
Chenopodium anthelminticum, 458
Cherry, Black, 443, 446
Cherry, European Bird, 442
Cherry, Wild, 446, 448
Chesnut Oak, 443
Chestnut Oak, Swamp, 444
Chickasaw Plum, 446
China-root, 452
Chinquapin, 444, 448
Chokecherry, Common, 446
Chromosomes of Austrobaileya, The, 241
Chrysalidocarpus lutescens, 127
Cicca, 332
 — *discoidea*, 311
Cirsium, 450
 — *horridulum*, 455
 — *virginianum*, 455
Cistus ladanum, 210
Clematis cirrhosa, 450
 — *glaucophylla*, 450
Clitoria mariana, 457
 — *ternatea*, 457
Cnidoscolus, 323, 349–353
 — sect. *Calyptosolen*, 352
 — sect. *Jussieuia*, 351
 — subsect. *Urentes*, 351
 — *hamosus*, 349
 — *kunthianus*, 352
 — *texanus*, 455
Coccoloba cozumelensis, 206
Comfrey, European, 451
Commelina vaginata, 455
 — *virginica*, 455
Comparative Morphological Studies in Dilleniaceae, I. Wood Anatomy, 1; II. The Pollen, 231
Consolida, A Synopsis of African Species of *Delphinium* and, 30
Consolida (*Ranunculaceae*), A Synopsis of the Asian Species of, 159
Consolida, 30, 47–55, 159–202
 — *aconiti*, 170, 200–202
 — *ajacis*, 51, 53, 176
 — *ambigua*, 48, 51, 53, 164, 176, 200–202
 — *anthoroidea*, 161, 170, 200, 201
 — *armeniaca*, 164, 198, 200–202
 — *axilliflora*, 162, 174, 200–202
 — *barbata*, 161, 172, 200–202
 — *camptocarpa*, 164, 193, 200–202
 — *cornuta*, 165, 187, 200
 — *cruciata*, 162, 173, 202
 — *deserti*, 48, 51, 53, 55, 165, 184, 200, 202
 — *deserti-syriaci*, 164, 187
 — *divaricata*, 179
 — *euphratica*, 167
 — *flava*, 165, 183, 201, 202
 — *glandulosa*, 165, 182, 200, 201
 — *gombaultii*, 162, 175
 — *halophila*, 163, 189, 200, 201
 — *hellespontica*, 164, 196, 200–202
 — — subsp. *macedonia*, 196
 — *hohenackeri*, 162, 169, 200–202
 — *incana*, 165, 181, 200–202
 — *leptocarpa*, 163, 185, 200–202
 — *linarioides*, 163, 191, 200
 — *mauritanica*, 48, 53–55
 — *oligantha*, 163, 194, 200–202

- Consolida oliveriana*, 165, 182, 200-202
 — *olopetala*, 163, 199, 200, 202
 — *orientalis*, 48, 52-55, 164, 177, 200-202
 — — *subsp. phrygia*, 192
 — *paradoxa*, 188, 201
 — *persica*, 163, 186, 200-202
 — *phrygia*, 165, 192, 200, 202
 — *pubescens*, 48, 49, 53-55
 — *pusilla*, 163, 192, 200-202
 — *raveyi*, 162, 173, 200-202
 — *regalis*, 48, 50, 53, 161, 165, 178
 — — *subsp. divaricata*, 178, 179, 200-202
 — — *subsp. paniculata*, 178, 179, 200-202
 — — — *divaricata*, 180
 — — — *paniculata*, 179
 — — *subsp. regalis*, 178, 179, 200
 — *rigida*, 181
 — *rugulosa*, 161, 163, 188, 200-202
 — *saccata*, 161, 171, 200-202
 — *schlagintweitii*, 163, 164, 191, 202
 — *scleroclada*, 162, 166, 200
 — — *pumila*, 166, 167, 200, 201
 — — *rigida*, 166, 167, 200, 202
 — — *scleroclada*, 166, 167
 — *songorica*, 193
 — *stenocarpa*, 162, 169, 200
 — *stocksiana*, 163, 175, 200-202
 — — *glabrescens*, 175
 — — *kabuliana*, 175
 — *sulphurea*, 163, 199, 201
 — *teheranica*, 161, 165, 201, 202
 — *thirkeana*, 162, 167, 200, 202
 — *tomentosa*, 164, 195, 200, 201
 — — *subsp. oligantha*, 194
 — *trigonelloides*, 164, 190, 200
Convolvulus arvensis, 450
Copaifera, 209
 — *trapezifolia*, 207
Coreopsis lanceolata, 454
Cornus drummondii, 443
 — *florida*, 443, 448
 — *sericea*, 443, 448
 — *stolonifera*, 443
Coronanthera grandis (Gesneriaceae), A
 New Species from the Solomon Islands,
 245
Coronanthera, 245
 — *australiana*, 245
 — *glabra*, 245
 — *grandis*, 245-248
Cotinus obovatus, 452
 Cotton tree, 443, 446, 447
 Cotton Wood, 445
 Cottonwood, Eastern, 442
 Crab-Wood, 388
Crataegus, 443
 — *aria*, 443, 449
 Creeper, Virginia, 455
Crescentia cujete, 111
 Cross Vine, 457
Crotalaria incana, 454
 — *latifolia*, 454
Croton, 323, 353-360
 — *sect. Andrichnia*, 355
 — *sect. Angelandra*, 357, 358, 360
 — *sect. Astraea*, 355, 358
 — *sect. Croton*, 355, 357, 358
 — *sect. Decarinium*, 355
 — *sect. Drepadenium*, 358
 — *sect. Eleuteria*, 358
 — *sect. Eluteria*, 355
 — *sect. Eucroton*, 354
 — *sect. Geiseleria*, 355, 358
 — *sect. Heptallon*, 357, 358
 — *sect. Julocroton*, 354
 — *subsect. Argyrocroton*, 355
 — *subsect. Cyclostigma*, 358
 — *subsect. Medea*, 355, 357, 358
 — *ser. Geiseleria*, 355
 — *ser. Lamprocroton*, 355
 — *aromaticus*, 354
 — *reflexifolius*, 110
 — *tiglium*, 354
Crotonopsis, 323, 360, 361
 — *linearis*, 360
 Cucumber, Bur, 454
Cupania guatemalensis, 207
Cupressus disticha, 443, 447
 — *thyoides*, 447
Curatella, 9, 233
 — *americana*, 17, 111, 238
Curcas, 340
 Custis' Account of the Red River Expedition
 of 1806, an Overlooked Publication
 of Botanical Interest, Freeman
 and, 431
Cydistax donnell-smithii, 206
Cyclostemon, 330
 Cypress, 443, 445, 447
 Cypress, Bald, 447
Cyrtandra, 245

 Dandelion, 453
Daniellia, 209
 Daphniphyllaceae, 312, 313
Datisca hirta, 457
Datura stramonium, 453
Davilla, 8, 235
 — *aspera*, 17, 238
 — *elliptica*, 238
 — *kunthii*, 238
 — *multiflora*, 238
 — *rugosa*, 17, 238
 Dayflower, Common, 455

- Delphinium and Consolida, A Synopsis of African Species of, 30
 Delphinium, Sensu Stricto, A Synopsis of the Asian Species of, 249-302, 476-545
 Delphinium, 30-47, 53-55, 160, 161, 249-302, 476-545
 — sect. Anthriscifolium, 259
 — sect. Delphinellum, 252
 — sect. Delphinium, 252
 — sect. Diedropetala, 262
 — sect. Staphisagria, 258
 — tribus Staphisagria, 258
 — subg. Eudelphinium, 31
 — aconiti, 162, 170
 — aconitioides, 478
 — acutilobum, 171
 — aemulans, 500, 502
 — aitchisonii, 481
 — ajacis, 51, 53, 176
 — — orientale, 52, 53, 177
 — — phrygium, 192
 — albiflorum, 262, 267
 — — candolleanum, 267
 — — eginense, 267
 — albocoeruleum, 499, 503
 — — pumilum, 503
 — albomarginatum, 263, 264, 268
 — amani, 276
 — ambiguum, 51, 53, 176
 — anatolicum, 276
 — anthoroideum, 170
 — — pumilum, 167
 — — rigidum, 167
 — — sclerocladum, 166
 — anthriscifolium, 259, 260
 — — anthriscifolium, 259, 260
 — — callerii, 260
 — — majus, 260
 — — ramosum, 260
 — — savatieri, 260, 261
 — aquilegifolium, 263, 265, 268
 — — glandulosissimum, 268
 — — hebecarpum, 268
 — — longipedunculatum, 268
 — — violaceum, 268
 — araraticum, 513
 — armeniacum, 198
 — aucheri, 188
 — aureopilosum, 495
 — autumnale, 500, 503
 — axilliflorum coerulescens, 174
 — — minus, 174
 — — violaceum, 174
 — balansae, 32, 34, 53-55
 — — — caeruleum, 34, 53
 — — — pallidum, 34, 53
 Delphinium barbatum, 172
 — — hirsutum, 172
 — batalinii, 263, 269
 — batangense, 477, 501, 505
 — beesianum, 501, 502, 506
 — — — calcicola, 506
 — — latisectum, 506
 — — malacotrichum, 506
 — — — radiatifolium, 506
 — — radiatifolium, 506
 — bhutanicum, 501, 507
 — biternatum, 265, 271
 — — leiocarpum, 294
 — bithynicum, 177, 256
 — bonatii, 537
 — bovei, 252
 — brunonianum, 478
 — — aitchisonii, 479
 — — densum, 483
 — — jacquemontianum, 479
 — — schlagintweitii, 479
 — bucharicum, 265, 272
 — caerulescens, 299
 — caeruleum, 497, 508
 — — corymbosum, 508
 — — macranthum, 532
 — — magnificum, 508
 — — majus, 527
 — — obtusilobum, 508
 — — tenuicaule, 508
 — calcicola, 506
 — callerii, 260
 — camptocarpum, 193
 — — brevipedunculatum, 193
 — — dasycarpum, 193
 — — leiocarpum, 193
 — — robustum, 193
 — — β songoricum, 193
 — — turkomanicum, 193
 — campylopodum, 196
 — candelabrum, 501, 508, 509
 — — monanthum, 525
 — candidum, 37, 53
 — cappadocicum, 183
 — cardiopetalum, 46, 53
 — — gracile, 45, 53
 — — oranense, 47, 53
 — carduchorum, 264, 266, 272
 — carolinianum, 455
 — cashmerianum, 478, 481
 — caucasicum, 476, 482
 — — hirsutum, 482
 — — tanguticum, 532
 — cavaleriense, 260
 — centeteroides, 264, 273
 — cerefolium, 260
 — chefoense, 501, 502, 510
 — cheilanthum, 500, 511

- Delphinium* subsp. *middendorffii*, 511
 — — subsp. *schizophyllum*, 511
 — — *albiflorum*, 511
 — — *chinense*, 511
 — — *dahuricum*, 511
 — — *laxiflorum*, 511
 — — *parviflorum*, 511
 — — *subglabrum*, 511
 — *chinense*, 517
 — *chodatii*, 266, 274
 — *cinereum*, 252, 255
 — *coleopodium*, 502, 512
 — *conocentrum*, 495
 — *consolida*, 48, 50, 53, 161, 178
 — — subsp. *divaricatum*, 179
 — — subsp. *paniculatum*, 179
 — — *micranthum*, 179
 — *cornutum*, 187
 — *cossonianum*, 33, 42, 53-55
 — — *laxiflorum*, 42, 53
 — *crispulum*, 499, 513
 — *cruciatum*, 173
 — *cyphoplectrum*, 267, 274
 — — *micranthum*, 274
 — — *pallidiflorum*, 290
 — — *stenophyllum*, 284
 — — *vanense*, 302
 — *dahuricum*, 511
 — *dasyanthum*, 477, 482
 — — *angustisectum*, 482
 — — *undulatum*, 482
 — *dasycaulon*, 32, 35, 53-55
 — — *minor*, 35, 53
 — *dasystachyum*, 262, 266, 275
 — — subsp. *szowitzianum*, 297
 — — *longebracteatum*, 285
 — — *ochroleucum*, 275
 — *davisii*, 252, 256
 — *davuricum*, 511
 — *densiflorum*, 477, 483
 — — *platycentrum*, 483
 — — *stenocentrum*, 483
 — *denudatum*, 501, 515
 — — *yunnanense*, 543
 — *deserti*, 51, 53, 184
 — *deserti-syriaci*, 187
 — *dissectum*, 499, 516
 — *divaricatum*, 179
 — — *gilliati*, 180
 — *dolichocentroides*, 498, 517
 — *dolichocentrum*, 538
 — *dolichostachyum*, 262, 276
 — *elatum incisum*, 520
 — *elisabethae*, 499
 — *emarginatum*, 32, 41, 53-55
 — — *africanum*, 41, 53
 — — *nevadense*, 42, 53
 — *englerianum incisum*, 520
 — *eriocarpum*, 252
 — *esquirolii*, 543
 — *exiguum*, 260
 — *exsertum*, 181
 — *fangshanense*, 518
 — *fengii*, 486
 — *fissum*, 263
 — — subsp. *anatolicum*, 276
 — *flavum*, 183
 — — *deserti*, 184
 — — *glaucum*, 183
 — — *velutinum*, 183
 — *floribundum*, 271
 — *foetidum*, 478, 484
 — *forrestii*, 492
 — *forskölii*, 252
 — *freynii*, 189, 294
 — — *hirtum*, 189
 — *gilgianum*, 510
 — *glaciale*, 478, 485
 — *glandulosum*, 182
 — — *lasiostemon*, 182
 — — *leiostemon*, 182
 — *goetzeanum*, 36, 53
 — *gombaultii*, 175
 — *gommingeri*, 37, 53
 — *gorganicum*, 265, 277
 — *gracile*, 33, 45, 53-55
 — *grandiflora obtusiloba*, 508
 — *grandiflorum*, 254, 498, 500, 517
 — — *acaule*, 518
 — — *bhotanica*, 517
 — — *chinense*, 517
 — — *gilgianum*, 510
 — — *glandulosum*, 518
 — — *gmelinii*, 518
 — — *kumaonense*, 518
 — — *kunawarensis*, 508
 — — *latisecta*, 524
 — — *leiocarpum*, 518
 — — *linnaei*, 517
 — — *majus*, 518
 — — *mosoynense*, 527
 — — *pallidum*, 518
 — — *paradoxa*, 517
 — — *pubiflorum*, 517
 — — *pumilum*, 518
 — — *setchwanensis*, 517
 — — *tenuicaulis*, 508
 — — *tigridium*, 518
 — — *tsangensis*, 517
 — *griseum*, 266, 277
 — *halophilum*, 189, 294
 — *halteratum*, 33, 46, 53-55
 — — *cardiopetalum*, 46, 53
 — — *confertum*, 46, 53
 — — *gracile*, 45, 53

- Delphinium halteratum macropetalum*, 45, 53
 — — *obcordatum*, 44, 53
 — — *tribracteolatum*, 46, 53
 — — *venulosum*, 255
 — *hellespenticum*, 196
 — — subsp. *aintabense*, 196, 198
 — — subsp. *campylopodum*, 196, 198
 — — subsp. *hellespenticum*, 198
 — — subsp. *macedonicum*, 196-198
 — *henryi*, 500, 519
 — — — *concolor*, 519
 — *himalayae*, 499
 — *hispanicum*, 52, 53, 177
 — *hispidum*, 183
 — *hohenackeri*, 169
 — *holopetalum*, 199
 — — *boissieri*, 199
 — — *paphlagonicum*, 196
 — *hybridum*, 294
 — — subsp. *fissum pentagynum*, 40, 53
 — — subsp. *laxiusculum*, 284
 — — — *pallidiflora*, 291
 — — subsp. *ochroleucum*, 288
 — — subsp. *puniceum*, 291
 — — subsp. *schmalhauseni*, 293
 — — *albiflorum*, 267
 — — *dasyanthum*, 297
 — — *debilius*, 289
 — — *gracillimum*, 284
 — — *hirtula*, 284
 — — *laxiusculum*, 284
 — — *ochroleucum*, 288
 — — *pilosulum*, 300
 — — *puniceum*, 291
 — — *sulphureum*, 294
 — — *szowitsiana*, 297
 — *ilgazense*, 264, 266, 278
 — *incanum*, 181, 292
 — *incisum*, 499, 520
 — *inopinatum*, 265, 279
 — *intricatum*, 165
 — *ithaburense*, 262, 279
 — *jacquemontianum*, 478
 — *junceum*, 252
 — — *subvelutinum*, 252
 — *kabulianum*, 175
 — *kamaonense*, 501, 521
 — *kantzeense*, 498, 521
 — *karataviense*, 268
 — *karategini*, 266, 280
 — *koelzii*, 501, 522
 — *kohatense*, 266, 280
 — *kurdicum*, 264, 281
 — — *elongatum*, 281
 — *kweichowense*, 260
 — *labrangense*, 532
 — *lacostei*, 477, 486
 — *lanigerum*, 500, 523
 — *latesquamatum*, 264, 283
 — *laxiflorum*, 189
 — *laxiusculum*, 267, 284
 — *leiocarpum*, 276
 — *lepidum*, 544
 — *leptocarpum*, 185
 — *leroyi*, 32, 36, 53-55
 — *linarioides*, 191
 — *linearilobum*, 513
 — — *crispulum*, 513
 — *longebracteatum*, 265, 285
 — *longipedunculatum*, 263, 286
 — *losccsii brevirostratum*, 48, 53
 — *macedonicum*, 196
 — *macrocentron*, 32, 38, 53-55
 — *macrocephalum*, 37, 53
 — *macropetalum*, 44, 53
 — *macropogon*, 264, 265, 286
 — *macrostachyum*, 266, 287
 — *mairei*, 476, 477, 486
 — — *viride*, 486
 — *malacophyllum*, 497, 523
 — *mauritanicum*, 48, 53
 — *maximowiczii*, 498, 500, 524
 — *micranthum*, 262, 287
 — *middendorffii*, 511
 — *minjanense*, 477, 487
 — *minutum*, 260
 — *molle*, 477, 488
 — *mollipilum*, 498, 525
 — *monanthum*, 502, 525
 — *moschatum*, 478
 — *mosoynense*, 501, 527
 — *muscosum*, 477, 502, 528
 — *nachiczewanicum*, 290
 — *nanum*, 33, 44, 53-55, 252, 254
 — *nepalense*, 476, 477, 488
 — *nevadense*, 32, 42, 53, 55
 — *nordhagenii*, 477, 489
 — *nortonii*, 499, 501, 528
 — *nuristanicum*, 265, 288
 — *obcordatum*, 33, 44, 53-55
 — *obscurum*, 539
 — *ochroleucum*, 264, 267, 288
 — — *sulphureum*, 288
 — *oliganthum*, 194
 — — *brachycentrum*, 194
 — — *ponticum*, 196
 — *oliverianum*, 182
 — — *cappadocicum*, 183
 — *olopetalum*, 199
 — *orientale*, 52, 54, 177
 — — subsp. *hispanicum*, 52, 54, 177
 — — *brevicalcaratum*, 177
 — — *hispanicum*, 52, 54
 — *pallasii*, 262, 289
 — *pallidiflorum*, 265, 266, 290

- Delphinium paniculatum*, 179
 — *paphlagonicum*, 196
 — *paradoxum*, 188
 — *parviflorum*, 511
 — *pauciflorum*, 511, 515
 — *pellucidum*, 492
 — *penicillatum*, 263, 290, 300
 — — *macroplectrum*, 297
 — *pentagynum*, 32, 39, 53–55
 — — *glabratum*, 39, 54
 — — *heterotrichum*, 39, 54
 — — *homeotrichum*, 39, 54
 — — *phialotrichum*, 39, 54
 — *peregrinum*, 32, 43–46, 54, 55, 252
 — — *subsp. halteratum*, 46, 54
 — — *subsp. junceum*, 252
 — — *subsp. nanum*, 44, 45, 254
 — — *boissieri*, 254
 — — *confertum*, 46, 54
 — — *ericalyx*, 252
 — — *eriocarpum*, 252
 — — *junceum*, 252
 — — *laxum*, 253
 — — *macropetalum*, 45, 54
 — — *subsacatum*, 254
 — — *subvelutinum*, 252
 — — *virgatum*, 253
 — *persicum*, 186
 — — *aucheri*, 188
 — — *regelianum*, 193
 — *phrygium*, 192
 — *pilosulum*, 300
 — *poltaratzkii*, 478
 — *ponticum*, 267
 — *potaninii*, 501
 — *propinquum*, 476, 489
 — *przewalskii*, 499, 529
 — *pseudo-caeruleum*, 498, 529
 — *pseudograndiflorum*, 498, 530
 — *pubescens*, 49, 54
 — — *dissitiflorum*, 49, 54
 — *pubiflorum*, 517
 — *pulcherrimum*, 497, 531
 — *pumilum*, 498, 531
 — *puniceum*, 267, 291
 — *purdomii*, 492
 — *pusillum*, 192
 — *pycnocentroides latisectum*, 537
 — *pygmaeum*, 192
 — *pylzowii*, 476, 497, 499, 500, 532
 — — *trigynum*, 532
 — *pyramidatum*, 499
 — *quercetorum*, 263, 291
 — *ranunculifolium incisum*, 520
 — *raveyi*, 173
 — *rectivenium*, 494
 — *rigidum*, 181
 — *robertianum*, 260
 — *rockii*, 500, 533
 — *roylei*, 267, 292, 501
 — *rugulosum*, 188
 — *ruspolianum*, 37, 54
 — *sacatum*, 171
 — *salmoneum*, 279
 — *saniculaefolium kurramensis*, 297
 — *saniculifolium*, 263, 265, 293
 — — *subsp. centeteroides*, 273
 — — *aquilegifolium*, 268
 — — *gilgitense*, 280
 — — *kohatense*, 280
 — — *refracta*, 293
 — *savatieri*, 261
 — *schlagintweitii*, 191
 — *schmalhauseni*, 263, 264, 293
 — *schroedingerianum*, 274
 — *sclerocladum*, 166
 — — *pseudo-anthoroideum*, 167
 — — *pumilum*, 167
 — *semibarbatum*, 265, 294
 — — *hoeltzeri*, 294
 — *semiclavatum*, 266, 295
 — *sinense*, 517
 — *sintenisii*, 256
 — *siwanense*, 476, 491
 — *smithianum*, 499, 534
 — *somcheticum*, 294
 — *songoricum*, 193
 — *soonmingense*, 537
 — *sordidecaerulescens*, 498, 499, 534
 — *speciosum brevicaratum*, 484
 — — *caucasicum*, 482
 — — *linearilobum*, 513
 — *staphisagria*, 32, 33, 54, 55, 258, 455
 — *stenocarpum*, 169
 — *stocksianum*, 175
 — — *glabrescens*, 175
 — — *obovatum*, 193
 — *suave*, 263, 297
 — *subvelutinum*, 252
 — *sulcatum*, 279
 — *sulphureum*, 199
 — *sutchuense*, 500, 535
 — *sylvaticum*, 32, 39, 54, 55, 511
 — *syncarpum*, 257, 264
 — *szovitsianum longebracteatum*, 285
 — *szowitsianum*, 265, 297
 — *talyschense*, 284
 — *tanguticum*, 532
 — *tatsienense*, 498, 537
 — *tauricum*, 289
 — *teheranicum*, 165
 — *tenii*, 498, 538
 — *tenuipes*, 500, 538
 — *tetanoplectrum*, 262, 298
 — *thirkeanum*, 167
 — *tomentellum*, 513

- Delphinium tomentellum angustibracteatum*, 513
 — — *araraticum*, 513
 — — *macranthum*, 513
 — *tomentosum*, 195
 — — *longecalcaratum*, 196
 — *tribracteolatum*, 46, 54
 — *trichophorum*, 477, 492
 — — *platycentrum*, 492
 — — *subglaberrimum*, 492
 — — *tibeticum*, 492
 — *tricolor*, 297
 — *trigonelloides*, 190
 — *trilobatum*, 495
 — *triste*, 499, 539
 — — *linearilobum*, 513
 — *trisectum*, 500, 539
 — *tsarongense*, 476, 493
 — — *patentipilum*, 493
 — *tsoongii*, 501, 540
 — *tuberosum*, 263, 299
 — — *leioalycinum*, 299
 — *turkmemum*, 264, 300
 — *uncinatum*, 266, 300
 — — *aitchisonii*, 300
 — — *pseudovestitum*, 300
 — *ursinum*, 266, 301
 — *vanense*, 265, 266, 302
 — *venulosum*, 252, 255
 — *verdunense*, 33, 46, 53, 54
 — *vestitum*, 300, 477, 494
 — — *hirsutum*, 482
 — — *pumilum*, 494
 — — *sphenolobum*, 494
 — *virgatum*, 252, 253, 518
 — *viride*, 486
 — *viscosum*, 476, 477, 495
 — — *chrysotrichum*, 495
 — — *ciliata*, 495
 — — *connectens*, 495
 — — *gigantobracteum*, 495
 — *wardii*, 476, 496
 — *wellbyi*, 37, 54
 — *williamsii*, 501, 541
 — *wilsonii*, 498, 542
 — *wrightii*, 478, 496
 — *yuanum*, 500, 543
 — *yunnanense*, 498, 543
 — — *laxum*, 543
 — — *strictum*, 543
 — *zalil*, 294
Depanthus, 245
Dialium guianense, 117
Dichapetalaceae, 309
Dichrophyllum, 397
 DICKISON, WILLIAM C. Comparative Morphological Studies in *Dilleniaceae*, I. Wood Anatomy, 1; II. The Pollen, 231
Didesmandra, 7, 233
 — *aspera*, 17, 239
Didynamia, 458
Digitalis, 456
 — *flava*, 456
 — *lutea*, 456
Dillenia, 5, 232
 — *alata*, 239
 — *aurea*, 17
 — *biflora*, 17
 — *excelsa*, 17, 239
 — *eximia*, 18
 — *indica*, 18, 239
 — *ingens*, 18
 — *luzoniensis*, 18, 239
 — *megalantha*, 239
 — *ovata*, 239
 — *papuana*, 239
 — *parviflora*, 239
 — *pentagyna*, 18
 — *philippinensis*, 18, 239
 — *pulchella*, 18
 — *quercifolia*, 18
 — *reifferscheidia*, 239
 — *reticulata*, 18
 — *retusa*, 18
 — *scabrella*, 18
 — *solomonensis*, 18
 — *suffruticosa*, 239
 — *sumatrana*, 18
 — *triquetra*, 19
 — *turbinata*, 19, 239
Dilleniaceae, Comparative Morphological Studies in, I. Wood Anatomy, 1; II. The Pollen, 231
Dilleniaceae, 1-29, 231-240
 — subfam. *Dillenioideae*, 11
 — subfam. *Tetraceroideae*, 11
Diospyros virginiana, 442, 447
 Director's Report, The. The Arnold Arboretum During the Fiscal Year Ended June 30, 1967, 546
Ditaxis, 364
Dogwood, 443, 445, 448
Dogwood, Rough, 443
Doliocarpus, 7, 235
 — *coriaceus*, 19
 — *dentatus*, 19, 239
 — *guianensis*, 239
 — *lasiogyne*, 19, 239
 — *major*, 19, 239
 — *olivaceus*, 19, 239
Drosera brevifolia, 454
 — *cuneifolia*, 454
 Drummond's Red Maple, 443
Dryopteris, 455

- Drypetes, 322, 329-332
 — sect. *Drypetes*, 330, 331
 — sect. *Hemicyclia*, 330
 — sect. *Oligandrae*, 330
 — *glauca*, 330
 — *triplinervia*, 330
 Duabanga, The Genus, 89
 Duabanga, 89-100
 — *borneensis*, 91
 — *grandiflora*, 90, 96
 — *moluccana*, 89, 91
 — *sonneratioides*, 96
 — *taylorii*, 90, 93

 Echinacea *purpurea*, 452
 Echinops, 450
 — *sphaerocephalus*, 450
 Ecology, Some Problems of Tropical Plant, 105
 Eglantine, 451
 Elaeagnus, 444
 Elaeophorbia, 397
 Elder, American, 451
 Elder, Black, 451
 Elder, Box, 447
 Elephantopus *carolinianus*, 457
 — *scaber*, 457
 Elm, 445, 447
 Emblica, 332
 Empetraceae, 309
 Enterolobium *cyclocarpum*, 206
 Eperua *falcata*, 210
 Erioxylum, 158
 ERNST, WALLACE R. and HENRY J. THOMPSON. Floral Biology and Systematics of *Eucnide* (Loasaceae), 56
 Erythrina *herbacea*, 451, 453
 Eucalyptus, 208
 — *dives*, 208
 Eucnide, 56-88
 — sect. *Eucnide*, 57, 58, 65
 — sect. *Mentzeliopsis*, 57, 58, 68, 84
 — sect. *Sympetaleia*, 57, 58, 68, 85
 — ser. *Eucnide*, 57
 — ser. *Tubiflorae*, 57, 78, 82
 — *aurea*, 57, 58, 77, 85
 — *bartonioides*, 57, 58, 78, 79
 — *cordata*, 57, 58, 78, 82
 — *floribunda*, 81
 — *guatemalensis*, 80
 — *grandiflora*, 57, 58, 78, 80
 — — *guatemalensis*, 80
 — *hirta*, 57, 58, 78, 83
 — *hypomalaca*, 57, 83
 — *lobata*, 57, 58, 78, 81
 — *nelsonii*, 83
 — *parryi*, 84
 — *pringlei*, 83

 Eucnide *pringlei hypomalaca*, 83
 — *rupestris*, 57, 58, 77, 86
 — *sinuata*, 83
 — *synandra*, 84
 — *tenella*, 57, 58, 78, 87
 — *urens*, 57, 58, 78, 84
 — *xylinea*, 57, 78, 84
 Eucnide (Loasaceae), Floral Biology and Systematics of, 56
 Eudelphinium, 250
 Euonymus *americanus*, 454
 Euphorbia, 304, 324, 395-420
 — sect. *Adenorima*, 407, 429
 — sect. *Anisophyllum*, 425
 — sect. *Anthacantha*, 405
 — sect. *Aphyllis*, 404, 405, 410
 — sect. *Balsamis*, 405
 — sect. *Calycopeplus*, 407
 — sect. *Caulanthium*, 405
 — sect. *Diacanthium*, 404, 405
 — sect. *Dichilium*, 402, 403, 429
 — sect. *Elaeophorbia*, 397
 — sect. *Epurga*, 399
 — sect. *Esula*, 399, 408, 409
 — sect. *Euphorbia*, 405
 — sect. *Euphorbium*, 405
 — sect. *Goniostema*, 404, 405
 — sect. *Lathyris*, 399, 409
 — sect. *Myrsiniteae*, 399
 — sect. *Petaloma*, 402
 — sect. *Rhizanthium*, 405
 — sect. *Tekeanae*, 397
 — sect. *Tirucalli*, 397, 404, 405
 — sect. *Tithymalopsis*, 400-402, 408, 425
 — sect. *Tithymalus*, 398-401, 405, 408-410
 — sect. *Tricherostigma*, 429
 — sect. *Zygophyllidium*, 402, 424
 — subg. *Agaloma*, 400-403, 406, 407, 409, 410, 416, 421, 424, 425, 429
 — subg. *Chamaesyce*, 421, 425
 — subg. *Eremophyton*, 398
 — subg. *Esula*, 397-402, 405-410, 414, 420, 424-426, 429
 — subg. *Euphorbia*, 397, 404, 405, 407, 409, 410, 418, 426
 — subg. *Lyciopsis*, 398
 — subg. *Poinsettia*, 402-404, 406, 407, 410, 417, 429
 — subg. *Rhizanthium*, 398, 405
 — subsect. *Corollatae*, 400, 401
 — subsect. *Esulae*, 399
 — subsect. *Foveospermae*, 399
 — subsect. *Galarrhaei*, 400
 — subsect. *Innocuae*, 401, 425
 — subsect. *Inundatae*, 400, 401
 — subsect. *Ipecacuanhae*, 400-402, 425
 — subsect. *Pachycladae*, 405

- Euphorbia subsect. Paralioidae, 399
 — subsect. Pleiadeniae, 425
 — subsect. Purpuratae, 400
 — antiquorum, 397
 — cristata, 424
 — officinarum, 397
 — peplis, 420
 — perlignea, 421
 — pinetorum, 403
 Euphorbiaceae in the Southeastern United States, The Genera of, 303–361, 363–430
 Euphorbiaceae, 303–361, 363–430
 — subfam. Crotonoideae, 305–309, 311, 313, 314, 322, 338, 340, 430
 — subfam. Euphorbioideae, 340, 430
 — subfam. Oldfieldioideae, 308, 309, 312, 331, 332
 — subfam. Paivaeusoideae, 309
 — subfam. Phyllanthoideae, 305–308, 310–314, 322, 325, 331
 — subfam. Poranthoideae, 308
 — subfam. Ricinocarpoideae, 309
 — tribe Acalypheae, 363–385
 — tribe Crotonae, 305, 340, 354, 358
 — tribe Euphorbieae, 304, 306, 395–430
 — tribe Hippomaneae, 385–395
 — tribe Oldfieldieae, 308, 309
 — tribe Paivaeuseae, 308
 — tribe Phyllanthaeae, 305, 306, 325, 336, 337
 — subtribe Acalyphinae, 370–375
 — subtribe Andrachninae, 325, 326, 331
 — subtribe Crotoninae, 353
 — subtribe Ditaxinae, 363–366
 — subtribe Drypetinae, 329
 — subtribe Euphorbiinae, 395–430
 — subtribe Hippomaninae, 385–395
 — subtribe Jatrophiae, 340
 — subtribe Manihotinae, 345, 347, 351
 — subtribe Mercurialinae, 366–370
 — subtribe Phyllanthinae, 305, 329, 332, 338
 — subtribe Plukenetiinae, 376–379
 — subtribe Ricininae, 379–385
 Expedition of 1806, an Overlooked Publication of Botanical Interest, Freeman and Custis' Account of the Red River, 431
 Fagus grandifolia caroliniana, 448
 — pumila, 444, 448
 — sylvatica, 448
 False Foxglove, 456
 Ficus, 206
 — glabrata, 206
 Field Garlic, 453
 Fieldia, 245
 Flacourtiaceae, 311, 313
 Floral Biology and Systematics of Eucnide (Loasaceae), 56
 Flowers, Leather, 450
 Flowers, Studies in Swietenia (Meliaceae): Observations on the Sexuality of the, 101
 Forestiera acuminata, 444
 Fox Grape, 446
 Foxglove, False, 456
 Fragaria vesca, 453, 454
 — virginiana, 454
 Fraxinus, 445
 — americana, 447
 — caroliniana, 447
 — excelsior, 447
 Freeman and Custis' Account of the Red River Expedition of 1806, an Overlooked Publication of Botanical Interest, 431
 Fungi, 455
 Galarhoeus, 397
 Galearieae, 313
 Garlic, Field, 453
 Garlic, Wild, 453
 Gelsemium sempervirens, 457
 Genera of Euphorbiaceae in the Southeastern United States, The, 303–361, 363–430
 Genipa americana, 206
 Gentianaceae, 458
 Genus Duabanga, The, 89
 Genus Lunasia (Rutaceae), A Revision of the, 460
 Geraniales, 309, 313
 Gerardia flava, 456
 — grandiflora, 456
 — virginica, 456
 Gesneriaceae, 245–248
 — subfam. Gesnerioideae, 245
 — tribe Coronanthereae, 245
 — tribe Mitrarieae, 245
 Giant Cane, 445
 GILLETT, GEORGE, W. Coronanthera grandis (Gesneriaceae), A New Species from the Solomon Islands, 245
 Gleditsia aquatica, 445, 447
 — monosperma, 447
 — triacanthos, 445, 447
 Globe Thistle, European, 450
 GÓMEZ-POMPA, ARTURO. Some Problems of Tropical Plant Ecology, 105
 Gonolobus, 454
 Gossypium (Malvaceae), Nomenclatural Notes on, 152
 Gossypium, 152–158
 — sect. Anomala, 157

- Gossypium* sect. *Anomopambak*, 157
 — sect. *Erioxyla*, 157, 158
 — sect. *Erioxylum*, 157, 158
 — sect. *Gossypium*, 157
 — sect. *Herbacea*, 157
 — sect. *Hirsuta*, 158
 — sect. *Ingenhousia*, 158
 — sect. *Integrifolia*, 157, 158
 — sect. *Klotzschiana*, 157, 158
 — sect. *Magnibracteolata*, 158
 — sect. *Pseudopambak*, 157
 — sect. *Stocksiana*, 157
 — sect. *Sturtia*, 157
 — sect. *Sturtiana*, 157
 — sect. *Thurberana*, 157, 158
 — sect. *Thurberia*, 157, 158
 — subsect. *Caducibracteolata*, 158
 — subsect. *Ingenhousia*, 158
 — subsect. *Integrifolia*, 158
 — *anomalum*, 157
 — *arboreum*, 157
 — *aridum*, 157
 — *armourianum*, 158
 — *barbadense*, 152
 — *hirsutum*, 158
 — *klotzschianum*, 157, 158
 — *mexicanum*, 158
 — *stocksii*, 157
 — *sturtianum*, 157
 — *sturtii*, 157
 — *thurberi*, 157
 — *trilobum*, 158
Grape, European Wine, 446
Grape, Fox, 446
Grape, June, 446
Grape, Wine, 446
Great Burdock, 452
Guaiacum, 210
Guiana Plum, 330
Guibourtia, 209
Gum, Red, 443
Gum, Sour, 445, 447
Gum, Sweet, 447
Gum, White, 445
Gymnanthes, 324, 387, 388
 — sect. *Stillingiopsis*, 386
 — *lucida*, 388

Hagberry, 442, 447
Halesia carolina, 448
 — *diptera*, 448
 — *tetraptera*, 448
Hamamelis virginica, 448
Hamamelidaceae, 312
Hamamelidales, 312
 HARTLEY, THOMAS G. A Revision of the
 Genus *Lunasia* (Rutaceae), 460
Haw, Black, 446
Hazel, Witch, 448
Hedera quinquefolia, 455
Helianthus, 455
 — *decapetalus*, 457
 — *multiflorus*, 457
 — *strumosus*, 455
Hemicyclia, 330
Hevea, 322
Hibbertia, 6, 233
 — *acicularis*, 239
 — *baudouinii*, 239
 — *coriacea*, 19
 — *cuneiformis*, 19, 239
 — *dentata*, 239
 — *hexandra*, 239
 — *linearis*, 239
 — *lucens*, 19
 — *salicifolia*, 239
 — *saligna*, 19
 — *scandens*, 239
 — *stellaris*, 239
 — *stricta*, 239
 — *tetrandra*, 19, 239
 — *vestita*, 239
Hibiscus, 457
 — *fraternus*, 453
 — *hirtus*, 457
 — *lasiocarpos*, 457
 — *militaris*, 453
Hickory, 444–447
Hickory, Mockernut, 442
Hippomane, 324, 393–395
 — *mancinella*, 394
Holly, 443, 448
Holly, American, 444
Holly, English, 444
Hollyhock, 451
Honey Locust, 445, 447
Horehound, 453
Horse Nettle, 451
 HOWARD, RICHARD A. The Director's Re-
 port. The Arnold Arboretum During
 the Fiscal Year Ended June 30, 1967,
 546
Huckleberry, tree, 455
Hura, 324
 — *polyandra*, 206
Hydrocotyle umbellata, 451
 — *vulgaris*, 451
Hymenaea courbaril as a Resin Producer,
 Preliminary Investigations of, 203
Hymenaea, 203
 — *adenotricha*, 205
 — *altissima*, 205
 — *candolliana*, 205
 — *chapadensis*, 205
 — *correana*, 205
 — *courbaril*, 203–230

- Hymenaea courbaril obtusifolia*, 205
 — — *subsessilis*, 205
 — *davisii*, 205
 — *erigyne*, 205
 — *floribunda*, 205
 — *intermedia*, 205
 — *martiana*, 205
 — *microcarpa*, 205
 — *multiflora*, 205
 — *oblongifolia*, 205
 — *olfersiana*, 205
 — *palustris*, 205
 — *parvifolia*, 205
 — *pororoca*, 205
 — *reticulata*, 205
 — *rubriflora*, 205
 — *sellowiana*, 205
 — *splendida*, 205
 — *stigonocarpa*, 205
 — *stilbocarpa*, 205
 — *velutina*, 205
 — *venosa*, 205
Hypericum, 450
 — *drummondii*, 450
 — *kalmianum*, 450
 — *prolificum*, 452
 — *quadrangulare*, 450
Icacinaceae, 312
Ilex, 449
 — *aquifolium*, 443, 444, 448
 — *cassine*, 455
 — *opaca*, 444, 448
 — *verticillatus*, 449
 — *vomitaria*, 455, 456
Indigofera hirsuta, 451
 — *leptosepala*, 451
Inga laurina, 206
Ingenhousia triloba, 158
 Investigations of *Hymenaea courbaril* as
 a Resin Producer, Preliminary, 203
Ioxylon, 449
Ipomoea pandurata, 456
 — *solanifolia*, 456
Iridaceae, 455
 Ironwood, 443
Irvingiaceae, 310, 313
Jatropha, 322, 340–342
 — sect. *Adenorhopium*, 341
 — sect. *Jatropha*, 341
 — sect. *Macranthae*, 340
 — *gossypifolia*, 340
 — *manihot*, 346
 — *urens*, 455
 JAYAWEERA, DON M. A. The Genus *Dua-*
banga, 89
 Jessamine, Yellow, 457
Joxylon, 449
Juglans, 442
 — *alba*, 442, 444, 446, 447
 — *illinoensis*, 442
 — *nigra*, 448
 — *oliviformis*, 442
 — *pecan*, 442
 — *petiolata*, 439, 442, 447, 459
Julocroton, 354
 June Grape, 446
Juniperus virginiana, 446, 448
Jussiaea, 456
 — *decurrens*, 457
 — *erecta*, 456
Jussieua, 456
 — *repens*, 452
Karwinskia calderoni, 206
Kibara, 244
Lagerstroemia grandiflora, 96
 LANGENHEIM, JEAN H. Preliminary In-
 vestigations of *Hymenaea courbaril* as
 a Resin Producer, 203
Lathyrus montanus, 450
 — *venosus*, 450
Laurelia novae-zelandiae, 244
Laurus benzoin, 444, 449
 — *sassafras*, 443, 447
 Leather Flowers, 450
 LEE, HSUEH-YUNG. Studies in *Swietenia*
 (*Meliaceae*): Observations on the Sex-
 uality of the Flowers, 101
Leea sambucina, 449
Leguminosae, 204
 — subfam. *Caesalpinioideae*, 204
Leontodon taraxacum, 453
Lepidanthus, 327
Leptospartion grandiflorum, 96
Leptospermum citratum, 208
Licania arborea, 206
 Lime Tree, 445, 448
Linaceae, 313
Lindera benzoin, 444, 449
Liquidambar styraciflua, 443, 447
Loasaceae, 56–88
Loasella, 76
 — *rupestris*, 86
Lobelia cardinalis, 457
 — *syphilitica*, 457
 Loblolly Pine, 447
 Locust, 445, 448
 Locust, Honey, 445, 447
 Locust, Water, 445, 447
 Lombardy poplar, 442
Lonicera, 440, 456
 — *sempervirens*, 453
 Lotus, American, 452
 Lotus, Old World, 452

- Luehea candida*, 207
Lunasia (Rutaceae), A Revision of the Genus, 460
Lunasia, 460-475
— *amara*, 460, 464
— — *amara*, 464
— — *babuyanica*, 464, 473
— — *costulata*, 464
— — *repanda*, 465
— *costulata*, 464
— *gigantifolia*, 465
— *grandifolia*, 464
— *macrophylla*, 465
— *mollis*, 465
— *nigropunctata*, 465
— *obtusifolia*, 465
— *parvifolia*, 464
— *philippinensis*, 464
— *pubifolia*, 465
— *quercifolia*, 464
— — *lanceolata*, 465
— *repanda*, 464
— *reticulata*, 465
— *truncata*, 465

Maclura, 449
— *pomifera*, 449
Magnolia tripetala, 448
Magotty Bay bean, 453
Mallow, Rose, 453
Malva caroliniana, 451
Malvaceae, 307
Malvales, 309
Manchineel, 394
Manihot, 323, 345-349
— sect. *Glaziovianae*, 347
— sect. *Parvibracteatae*, 346
— subsect. *Elatae*, 346
— subsect. *Utilissimae*, 347
— *esculenta*, 346
Manilkara zapotilla, 117
Maple, 447
Maple, Drummond's Red, 443
Maple, Red, 447
Maple, Striped, 443
Margaritaria discoidea, 311
Marrubium vulgare, 453
Mastichodendron capiri tempisque, 110
Meliaceae, 101-104
Mentha sativa, 453
Mentzelia cordata, 82
— *gronoviaefolia*, 79
— *hirta*, 83
— *lobata*, 81
— *urens*, 84
Mercurialis, 323, 366-370
— *annua*, 452
— *perennis*, 367

Mercury, 367
Mexican Plum, 446
Microsperma, 76
— *bartonioides*, 79
— *grandiflora*, 80
— *lobatum*, 81
Milk-tree, 391
Milkweed, 454
Mimosa, 440, 456
— *punctata*, 450
— *strigillosa*, 450
— *tenuifolia*, 451
Mint, 453
Mirandaceltis monoica, 110
Misleto, 443
Mockernut Hickory, 442
Modiola caroliniana, 451
Momordica, 454
— *charantia*, 454
MOORE, HAROLD E., JR. Two New American Palms, 143
Moraea vegeta, 455
Morning Glory, 456
Morphological Studies in Dilleniaceae, Comparative, I. Wood Anatomy, 1; II. The Pollen, 231
MORTON, C. V. Freeman and Custis' Account of the Red River Expedition of 1806, an Overlooked Publication of Botanical Interest, 431
Morus nigra, 447
— *rubra*, 447
Mozinna, 340
Mulberry, 445, 447
Mulberry, Black, 447
Mulberry, Red, 448
MUNZ, PHILIP A. A Synopsis of African Species of *Delphinium* and *Consolida*, 30
MUNZ, PHILIP A. A Synopsis of the Asian Species of *Consolida* (Ranunculaceae), 159
MUNZ, PHILIP A. A Synopsis of the Asian Species of *Delphinium*, *Sensu Stricto*, 249-302, 476-545
Myrica cerifera, 443, 444, 449, 453
Myroxylon, 210
Mytilococcus costulatus, 464
— *grandifolius*, 464
Mytilococcus, 461
— *quercifolius*, 461, 464

Nectandra, 206
Negria, 245
Nemastylis acuta, 455
Neptunia, 450
— *lutea*, 450
— *plena*, 450

- Nettle, Bull-, 349
 Nettle, Horse, 451
 Nettle, Spurge, 455
 Nettle, Stinging, 349
 Nicandra physalodes, 450
 Nomenclatural Notes on *Gossypium* (Malvaceae), 152
 Notes on *Gossypium* (Malvaceae), Nomenclatural, 152
 Nut, Candle, 342
Nymphaea alba, 452
 — *lutea*, 452
 — *nelumbo*, 452
 — *odorata*, 452
Nyssa integrifolia, 445, 447
 — *sylvatica*, 445, 447

 Oak, 447
 Oak, Black, 443, 445, 446
 Oak, Chesnut, 443
 Oak, Red, 442, 446
 Oak, Swamp Chestnut, 444
 Oak, White, 442, 445
 Oak, Willow, 442
 Observations on the Sexuality of the Flowers, Studies in *Swietenia* (Meliaceae):, 101
Oenothera, 451
 — *longiflora*, 451
Oldfieldia, 308, 309
Onosmodium, 451
Opuntia humifusa, 453
 Orange, Osage, 449, 459
Origanum vulgare, 457
Orobanche, 459
 — *bracteata*, 459
 — *ludoviciana*, 459
Orobus tuberosus, 450
 Osage Orange, 449, 459
 Osier, red, 443
 Overlooked Publication of Botanical Interest, Freeman and Custis' Account of the Red River Expedition of 1806, an, 431
 Oxalidaceae, 313
Oxalis, 449
 — *acetosella*, 449
 — *purpurea*, 451
 — *violacea*, 451

Pachira aquatica, 206
Pachynema, 7, 233
 — *complanatum*, 19
 — *dilatatum*, 239
 — *junceum*, 239
 Palm, Old World, 458
Palm Rhaps excelsa, Anatomy of the. IV. Vascular Development in Apex of Vegetative Aërial Axis and Rhizome, 122
 Palms, Two New American, 143
 Palmetto, 454
 Palmetto, Dwarf, 458
 Pandaceae, 313
 Papaw, 448
Parthenocissus quinquefolia, 455
 Passiflora, 452
 — *incarnata*, 452
 — *lutea glabriflora*, 454
 — *minima*, 454
 Pecan, 442, 443, 445, 447
Pedilanthus, 324, 427-430
 — sect. *Cubanthus*, 429
 — *tithymaloides*, 428
Peltogyne, 205
 Pennywort, European, 451
 Peraceae, 304
Periploca secamone, 454
 Persimmon, 442, 443, 447
Pholidostachys, 148
 — *dactyloides*, 148
 Phyllanthaceae, 304
Phyllanthus, 322, 332-339
 — sect. *Gomphidium*, 338
 — sect. *Loxopodium*, 333
 — sect. *Paraphyllanthus*, 333
 — sect. *Pentandra*, 333
 — sect. *Phyllanthus*, 334
 — sect. *Urinaria*, 334
 — sect. *Xylophylla*, 335, 338
 — subg. *Botryanthus*, 336
 — subg. *Cicca*, 335-337
 — subg. *Conami*, 338
 — subg. *Gomphidium*, 338
 — subg. *Isocladus*, 333, 336, 337
 — subg. *Kirganelia*, 333, 336-338
 — subg. *Phyllanthus*, 334, 336
 — subg. *Xylophylla*, 335, 336
 — subsect. *Niruri*, 334
 — subsect. *Pentaphylli*, 335
 — subsect. *Swartziani*, 334
 — *chamaecerasus*, 338
 — *discoideus*, 311
 — *niruri*, 332
 — *pentandrus*, 334
Physalis, 450
 — *angulata*, 453
 — *pubescens*, 452
Phytolacca americana, 451
 — *decandra*, 451
 Picrodendraceae, 312
Pilocarpus amara, 464
 Pine, 447
 Pine, Loblolly, 447
 Pine, Scotch, 443
 Pine, Shortleaf, 443

- Pinus*, 208
 — *caribaea*, 111, 222
 — *echinata*, 443, 447
 — *elliottii*, 222
 — *foeda*, 447
 — *merkusii*, 208
 — *palustris*, 222
 — *ponderosa*, 208
 — *succinifera*, 203
 — *sylvestris*, 208, 443, 447
 — *taeda*, 447
Pistacia, 210
 — *mexicana*, 207
 Plane Tree, 447
Plantago major, 450, 453, 454
Platanus occidentalis, 443, 446, 447
 Plum, Chickasaw, 446
 Plum, Guiana, 330
 Plum, Mexican, 446
 Plum, Wildgoose, 446
Podophyllum peltatum, 452, 453
Poinsettia, 397
 — *pinetorum*, 403
 Pollen, The. Comparative Morphological Studies in Dilleniaceae, II, 231
Polygala, 457
 — *vulgaris*, 457
Polygonum lapathifolium, 453
 — *pennsylvanicum*, 457
 — *scandens*, 454
Polypodium, 440, 455, 456
Polystichum, 455
 Pond Apple, 448
 Poplar, Lombardy, 442
Populus, 447
 — *deltoides*, 442, 447
Portulaca oleracea, 327, 450, 451, 457
 Preliminary Investigations of *Hymenaea courbaril* as a Resin Producer, 203
Prenanthes alba, 458
 Prickly Ash, 444
Prinos verticillatus, 449
Prioria copaifera, 210
 Privet, Swamp, 444
 Problems of Tropical Plant Ecology, Some, 105
Protium, 210
 — *copal*, 110
Prunus angustifolia, 446
 — *lauro-cerasus*, 448
 — *mexicana*, 446
 — *munsoniana*, 446
 — *padus*, 442, 447
 — *serotina*, 443, 446, 447
 — *virginiana*, 446, 448
Pseudolmedia oxyphyllaria, 117
Psidium sartorianum, 206
 Publication of Botanical Interest, Freeman and Custis' Account of the Red River Expedition of 1806, an Overlooked, 431
Quercus alba, 442, 446, 447
 — *cerris*, 444
 — *esculus*, 443, 447
 — *michauxii*, 444, 447
 — *nigra*, 443, 446, 447
 — *oleoides*, 115
 — *phellos*, 442, 447
 — *rubra*, 442, 446, 447
 — *velutina*, 446

Rabelaisia, 461
 — *parvifolia*, 464
 — *philippinensis*, 461, 464
 Ranales, 241
 Ranunculaceae, 159–202
 — tribe *Gibberula*, 262
 — tribe *Lasiocarpa*, 262
 — tribe *Leiocarpa*, 262
 — tribe *Macrocentra*, 262
Ranunculus bulbosus, 450
 — *hederaceus*, 455
 Red River Expedition of 1806, an Overlooked Publication of Botanical Interest, Freeman and Custis' Account of the, 431
 Redbud, American, 448
 Redbud, European, 448
 Resin Producer, Preliminary Investigations of *Hymenaea courbaril* as a, 203
 Revision of the Genus *Lunasia* (Rutaceae), A, 460
Rhabdothamnus, 245
 Rhamnales, 309
Rhapis excelsa, Anatomy of the Palm, IV. Vascular Development in Apex of Vegetative Aërial Axis and Rhizome, 122
Rhapis excelsa, 122–142
 Rhizome, Vascular Development in Apex of Vegetative Aërial Axis and. Anatomy of the Palm *Rhapis excelsa*, IV, 122
Rhus copallina, 452
 — *coriaria*, 452
 — *cotinus*, 452
 — *glabra*, 452
 — *radicans*, 452
 — *toxicodendron*, 450
 — *typhina*, 457
Ricinus, 323, 379–385
 — *communis*, 379
Robinia, 445
 — *pseudacacia*, 445, 448
Robinsonella mirandae, 111

- Rosa eglantheria*, 451
 Rose Mallow, 453
 Rough Dogwood, 443
Rubus caesius, 451
 — *fruticosus*, 451
Rudbeckia hirta, 451
 — *purpurea*, 452
 RÜDENBERG, LILY. The Chromosomes of *Austrobaileya*, 241
 Rutaceae, 460–475
 — subfam. Rutoideae, 460
 — tribe Xanthoxyleae, 460
 — subtribe Lunasiinae, 460
 Rutales, 309

Sabal minor, 454, 458
Sagittaria falcata, 455
 — *lancifolia*, 455
 — *latifolia*, 457
 — *sagittifolia*, 457
Salix interior, 442
 — *nigra*, 442
Sambucus canadensis, 451
 — *nigra*, 451
 Sapindales, 309, 310
Sapium, 324, 391–393
 — sect. *Triadica*, 392
 — *aucuparium*, 391
 — *jamaicense*, 391
 — *salicifolium*, 391
Sassafras, 443, 447
 — *albidum*, 443, 447
Satureia capitata, 454
Savia, 322, 325–327
 — sect. *Heterosavia*, 325, 326
 — sect. *Petalodiscus*, 326
 — sect. *Savia*, 325
 — *arida*, 328
 — *sessiliflora*, 325
Schrankia nuttallii, 451
Schumacheria, 6, 233
 — *castaneifolia*, 19, 239
 Scotch Pine, 443
Sebastiania 324, 385–387
 — sect. *Cnemidostachys*, 386
 — sect. *Sebastiania*, 386
 — sect. *Stillingiopsis*, 386
 — *brasiliensis*, 385
 Sensitive Briar, 451
 Serophyton, 366
 Sexuality of the Flowers, Studies in Swietenia (*Meliaceae*): Observations on the, 101
 Shortleaf Pine, 443
Sickingia rhodoclada, 110
Sicyos angulatus, 454
Sida, 452
 — *occidentalis*, 452

Sideroxylon, 443
 — mite, 443, 448
Silphium laciniatum, 454
 Silverbell, Carolina, 448
 Simaroubaceae, 310, 312
 — subfam. Irvingioideae, 310
Sison ammi, 455
 Slipper-spurge, 428
Smilax bona-nox, 452
 — *china*, 452
 — *sarsaparilla*, 452
 — *tamnoides*, 452
 Smooth Sumac, 452
Solanum carolinense, 451, 452
 — *paniculatum*, 451
 — *virginianum*, 452
Solidago altissima, 458
 Solomon Islands, *Coronanthera grandis* (*Gesneriaceae*), A New Species from the, 245
 Some Problems of Tropical Plant Ecology, 105
 Sorrel, Common Wood, 449
 Sorrel, Violet Wood, 451
 Sour Gum, 445, 447
 Southeastern United States, The Genera of *Euphorbiaceae* in the 303–361, 363–430
 Southern White Cedar, 447
 Species from the Solomon Islands, *Coronanthera grandis* (*Gesneriaceae*), A New, 245
 Species of *Consolida* (*Ranunculaceae*), A Synopsis of the Asian, 159
 Species of *Delphinium* and *Consolida*, A Synopsis of African, 30
 Species of *Delphinium*, *Sensu Stricto*, A Synopsis of the Asian, 249–302, 476–545
 Spice Wood, 444, 449
Spigelia anthelmia, 453
 — *marilandica*, 451, 453
 Spurge, 397
 Spurge family, 303–361
 Spurge Nettle, 455
 Spurge, Slipper-, 428
Staphisagria macrosperma, 33, 54, 258
 Staphyleaceae, 312
 Sterculiaceae, 309, 313, 342
Stillingia, 324, 388–391
 — sect. *Cnemidostachys*, 386
 — sect. *Leptostachyae*, 389
 — ser. *Oppositifoliae*, 389, 391
 — sect. *Pachycladae*, 389
 — sect. *Stillingia*, 389
 — ser. *Sylvaticae*, 389
 — ser. *Treculianae*, 389
 — *sylvatica*, 389

- Stinging Cassava, 455
 Stinging Nettle, 349
 Striped Maple, 443
 Studies in Swietenia (Meliaceae): Observations on the Sexuality of the Flowers, 101
 Styrax, 210
 — *argenteus*, 206
 Sumac, Smooth, 452
 Sweet Briar, English, 341
 Sweet Gum, 447
 Swietenia (Meliaceae): Observations on the Sexuality of the Flowers, Studies in, 101
 Swietenia, 101–104
 — *humilis*, 206
 — *macrophylla*, 101–104
 — *mahagoni*, 101–104
 Sycamore, 442, 443
 Sympetaleia, 76, 85
 — *aurea*, 85
 — *rupestris*, 86
 — *tenella*, 87
 Symphytum officinale, 451
 Synopsis of African Species of Delphinium and Consolida, A, 30
 Synopsis of the Asian Species of Consolida (Ranunculaceae), A, 159
 Synopsis of the Asian Species of Delphinium, Sensu Stricto, A, 249–302, 476–545
 Systematics of Eucnide (Loasaceae), Floral Biology and, 56

 Tabebuia chrysantha, 207
 — *pentaphylla*, 206
 Tapioca Plant, 346
 Taraxacum officinale, 450, 453
 Taxodium, 210
 — *distichum*, 443, 447
 Tephrosia virginiana, 451
 Terminalia amazonia, 111
 Tetracera, 9, 235
 — *alnifolia*, 239
 — *arborescens*, 239
 — *asiatica*, 239
 — *boiviniana*, 19, 239
 — *euryandra*, 239
 — *fagifolia*, 240
 — *indica*, 240
 — *korthalsii subrotunda*, 240
 — *macrophylla*, 240
 — *nordtiana*, 240
 — *ovalifolia*, 240
 — *podotricha*, 240
 — *portobellensis*, 240
 — *scandens*, 19, 240
 — *volubilis*, 19, 240

 Thelypteris, 455
 Thistle, European Globe, 450
 Thistle, Yellow, 455
 THOMPSON, HENRY J., and WALLACE R. ERNST. Floral Biology and Systematics of Eucnide (Loasaceae), 56
 Thurberia thespesioides, 157
 Thymelaeaceae, 313
 Thymus capitatus, 454
 Tigilium, 354
 Tilia americana, 445, 448
 Tiliales, 309
 Tillandsia usneoides, 453, 458
 Tithymalopsis, 397
 Tithymalus, 397, 428
 TOMLINSON, P. B., and MARTIN H. ZIMMERMANN. Anatomy of the Palm Rhaps, excelsa, IV. Vascular Development in Apex of Vegetative Aërial Axis and Rhizome, 122
 Tooth Ache tree, 444, 448
 Toxylon, 449
 Trachylobium, 204
 Tradescantia virginica, 452
 Tragia, 323, 376–379
 — sect. *Bia*, 376
 — sect. *Leptobotrys*, 377
 — sect. *Tragia*, 376, 377
 — *volubilis*, 376
 Triadica, 391
 Trichilia cuneata, 206
 — *hirta*, 206
 Trichosanthes cucumerinus, 454
 Trochodendrales, 312
 Trophis racemosa, 117
 Tropical Plant Ecology, Some Problems of, 105
 Trumpet Vine, 453
 Tung Tree, 342
 Two New American Palms, 143
 Typha angustifolia, 457

 Ulmus americana, 445, 447
 Umbrella Tree, 448

 Vaccinium arboreum, 455
 Vantanea, 207
 Vascular Development in Apex of Vegetative Aërial Axis and Rhizome. Anatomy of the Palm Rhaps excelsa, IV, 122
 Vatairea lundellii, 117
 Verbascum thapsus, 450, 452
 Viburnum prunifolium, 446, 449
 — *rufidulum*, 446, 449
 Viola palmata, 452
 Violet Wood Sorrel, 451
 Virginia Creeper, 455

- Viola, 207
Vitis labrusca, 446
— riparia praecox, 446
— vinifera, 446
Vochysia, 207

Walnut, 448
Water Ash, 447
Water Locust, 445, 447
Waterlily, European White, 452
WEBSTER, GRADY L. The Genera of Euphorbiaceae in the Southeastern United States, 303-361, 363-430
White Cedar, Southern, 447
White Gum, 445
"White Man's Footsteps", 454
White Oak, 442, 445
White Waterlily, European, 452
White Wood, 330
Wild Cherry, 446, 448
Wild Garlic, 453
Wildgoose Plum, 446
Willow, 445
Willow Oak, 442

Wine Grape, 446
Wine Grape, European, 446
Winterberry, 449
Witch Hazel, 448
Wood Anatomy. Comparative Morphological Studies in Dilleniaceae, I, 1
Wood Sorrel, Common, 449
Wood Sorrel, Violet, 451

Xylophylla, 332

Yaupon, 455
Yellow Jessamine, 457
Yellow Thistle, 455

Zanthoxylum americanum, 444, 448
— clava herculis, 444, 448
— fraxinifolium, 444, 448
ZIMMERMANN, MARTIN H., and P. B. TOMLINSON. Anatomy of the Palm Rhaps excelsa, IV. Vascular Development in Apex of Vegetative Aërial Axis and Rhizome, 122
Zygophyllidium, 397